

ENGINE

Emissions Tier (EPA)

Tier 4

Engine Fuel

Diesel

Maximum Governed RPM

2,370 rpm

Horsepower

10.2 hp

Turbocharged Engine

NA

Optional Horsepower

NA

PERFORMANCE

Operating Weight

2,593 lb

Weight Class

1 t

Travel Speed - High

1.7 mph

Travel Speed - Low

1.3 mph

Arm Digging Force

1,248 lbf

Bucket Digging Force

1,865 lbf

Rated Lift Capacity

527 lb

Lift Radius

118 in

Boom Swing - Left

67°

Boom Swing - Right

64°

Maximum Dig Depth

6 ft

Max Dump Height

6 ft

Maximum Reach at Ground Level

10.2 ft

CAPACITIES

Fuel Tank

4.2 gal

HYDRAULIC SYSTEM

Auxiliary Std Flow

5.3 gal/min

Auxiliary Pressure

2,756 psi

DIMENSION

Length

110 in

Overall Length in Travel Position

110 in

Width

28 in

Height

87 in

Height with Operator Cab

87 in

FEATURES**Air Conditioning**

NA

Cab Enclosure

NA

Cab Heater

NA

Heater Air Conditioning

NA

Radio

Optional

Tail Swing Type

Zero

Engine Shutdown

NA

Auxiliary Hydraulics

Standard

Secondary Auxiliary Hydraulics

NA

Quick Tach System

NA

Rubber Track

Standard

Selectable Auxiliary Hydraulic Flow

NA

Angle Blade

NA